IN THE CLAIMS

Please amend the claims as follows:

Claims 1-2 (Cancelled)

3. (Currently Amended) In a server, a method for initiating a group call in a group communication network, the method comprising:

receiving a request for initiating a group call based on a member; initiating the group call based on the received member list; announcing the group call to each member in the member list;

The method of claim 2, further including:

receiving acknowledgement from a member who wishes to participate in the group call; and

forwarding media to the member after its traffic channel is re-established.

- 4. (Original) The method of claim 3, further including triggering the member to reestablish its traffic channel.
- 5. (Original) The method of claim 4, further including buffering media for transmission to the member after its traffic channel is re-established.
- 6. (Currently Amended) <u>In a server, a method for initiating a group call in a group communication network, the method comprising:</u>

receiving a request for initiating a group call based on a member; initiating the group call based on the received member list; and announcing the group call to each member in the member list,

The method of claim 2, wherein said announcing includes transmitting a message on a forward common channel of a wireless network.

7. (Original) The method of claim 6, wherein said announcing includes transmitting the message on a forward paging channel (F-PCH) of the wireless network.



- 8. (Original) The method of claim 6, wherein said announcing includes transmitting the message on a forward common control channel (F-CCCH) of the wireless network.
- 9. (Original) The method of claim 6, wherein said announcing includes transmitting the message in short data burst (SDB) form.

Claims 10-11 (Cancelled)

12. (Currently Amended) <u>In a server, a computer-readable medium embodying a method for initiating a group call in a group communication network, the method comprising:</u>

receiving a request for initiating a group call based on a member; initiating the group call based on the received member list; announcing the group call to each member in the member list,

The computer readable medium of claim 11, wherein the method further includes:

receiving acknowledgement from a member who wishes to participate in the

group call; and

forwarding media to the member after its traffic channel is re-established.

further including triggering the member to re establish its traffic channel.

- 13. (Original) The computer-readable medium of claim 12, the method further including buffering media for transmission to the member after its traffic channel is reestablished.
- 14 (Currently Amended) In a server, a computer-readable medium embodying a method for initiating a group call in a group communication network, the method comprising:

receiving a request for initiating a group call based on a member; initiating the group-call based on the received member list; and announcing the group call to each member in the member list,

The computer readable medium of claim 11, wherein said announcing includes transmitting a message on a forward common channel of a wireless network.

- 15. (Original) The computer-readable medium of claim 14, wherein said announcing includes transmitting the message on a forward paging channel (F-PCH) of the wireless network.
- 16. (Original) The computer-readable medium of claim 14, wherein said announcing includes transmitting the message on a forward common control channel (F-CCCH) of the wireless network.
- 17. (Original) The computer-readable medium of claim 14, wherein said announcing includes transmitting the message in short data burst (SDB) form.

Claims 18-19 (Cancelled)

20 (Currently Amended) A server for initiating a group call in a group communication network, comprising:

means for receiving a request for initiating a group call based on a member;
means for initiating the group call based on the received member list;
means for announcing the group call to each member in the member list;

The server of claim 19, further including:

means for receiving acknowledgement from a member who wishes to participate in the group call; and

means for forwarding media to the member after its traffic channel is reestablished.

- 21. (Original) The server of claim 20, further including means for triggering the member to re-establish its traffic channel.
- 22. (Original) The server of claim 21, further including means for buffering media for transmission to the member after its traffic channel is re-established.



23. (Currently Amended) A server for initiating a group call in a group communication network, comprising:

means for receiving a request for initiating a group call based on a member; means for initiating the group call based on the received member list; and means for announcing the group call to each member in the member list,

The server of claim 19, wherein said means for announcing includes means for transmitting a message on a forward common channel of a wireless network.

- 24. (Original) The server of claim 23, wherein said means for announcing includes means for transmitting the message on a forward paging channel (F-PCH) of the wireless network.
- 25. (Original) The server of claim 23, wherein said means for announcing includes means for transmitting the message on a forward common control channel (F-CCCH) of the wireless network.
- 26. (Original) The server of claim 23, wherein said means for announcing includes means for transmitting the message in short data burst (SDB) form.

Claims 27-28 (Cancelled)

29. (Currently Amended) A server for initiating a call in a group communication network, comprising:

a receiver;

a transmitter; and

a processor communicatively coupled to the receiver and the transmitter, the processor being capable of:

receiving a request for initiating a group call based on a member; initiating the group call based on the received member list;

The server of claim 28, the processor further being capable of:



receiving acknowledgement from a member who wishes to participate in the group call; and

forwarding media to the member after its traffic channel is re-established.

- 30. (Original) The server of claim 29, the processor further being capable of triggering the member to re-establish its traffic channel.
- 31. (Original) The server of claim 30, the processor further being capable of buffering media for transmission to the member after its traffic channel is re-established.
- 32. (Currently Amended) A server for initiating a call in a group communication network, comprising:

a receiver;

a transmitter; and

a processor communicatively coupled to the receiver and the transmitter, the processor being capable of:

receiving a request for initiating a group call based on a member; and initiating the group call based on the received member list,

The server of claim 28 wherein said announcing includes transmitting a message on a forward common channel of a wireless network.

- 33. (Original) The server of claim 32, wherein said announcing includes transmitting the message on a forward paging channel (F-PCH) of the wireless network.
- 34. (Original) The server of claim 32, wherein said announcing includes transmitting the message on a forward common control channel (F-CCCH) of the wireless network.
- 35. (Original) The server of claim 32, wherein said announcing includes transmitting the message in short data burst (SDB) form.



36. (New) The computer-readable medium of claim 12, further including triggering the member to re-establish its traffic channel.